

东莞市2017年第一季度国控企业污染源（危废废水）监督性监测结果

序号	行政区	企业名称	受纳水体	监测点名称	执行标准名称	监测日期	监测项目名称	污染物浓度	标准限值	单位	是否达标	超标倍数	备注
1	东莞市	东莞长安华南电子厂	其他	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							PH值	7.33	6-9	无量纲	是		
							总磷	0.07	1	mg/L	是		
							化学需氧量	11	80	mg/L	是		
				总汞			<0.00004	0.005	mg/L	是			
				总镉			<0.005	0.01	mg/L	是			
				总铬			<0.03	0.5	mg/L	是			
				六价铬			<0.004	0.1	mg/L	是			
				总砷			<0.0003		mg/L				
				总铅			<0.07	0.1	mg/L	是			
				总镍			<0.02	0.5	mg/L	是			
				总铜			<0.01	0.5	mg/L	是			
				悬浮物			<4	30	mg/L	是			
				总锌			0.004	1	mg/L	是			
				总铁			0.05	2	mg/L	是			
				总银			<0.03	0.1	mg/L	是			
				总铝			<0.07	2	mg/L	是			
				氨氮			0.133	15	mg/L	是			
				总氮			2.8	20	mg/L	是			
				氧化物（总氰化合物）			<0.001	0.2	mg/L	是			
氟化物	0.03	10	mg/L	是									
石油类	0.06	2	mg/L	是									
				镍预处理排放口			总汞	<0.00004	0.005	mg/L	是		
					总镉	<0.005	0.01	mg/L	是				
					总铬	<0.03	0.5	mg/L	是				
					六价铬	<0.004	0.1	mg/L	是				
					总铅	<0.07	0.1	mg/L	是				
					总镍	<0.02	0.5	mg/L	是				
					总银	<0.03	0.1	mg/L	是				
					PH值	7.3	6-9	无量纲	是				
					总磷	0.23	1	mg/L	是				
					化学需氧量	18	80	mg/L	是				

2	东莞市	东莞红板多层线路板有限公司	珠江三角洲河网区	排放口	电镀水污染物排放标准	2017/1/12	总汞	<0.00004	0.005	mg/L	是									
							总镉	<0.005	0.01	mg/L	是									
							总铬	<0.03	0.5	mg/L	是									
							六价铬	<0.004	0.1	mg/L	是									
							总砷	<0.0003		mg/L										
							总铅	<0.07	0.1	mg/L	是									
							总镍	<0.02	0.5	mg/L	是									
							总铜	0.01	0.5	mg/L	是									
							悬浮物	6	30	mg/L	是									
							总锌	<0.004	1	mg/L	是									
							总铁	<0.02	2	mg/L	是									
							总银	<0.03	0.1	mg/L	是									
							总铝	0.34	2	mg/L	是									
							氨氮	5.31	15	mg/L	是									
							总氮	9.08	20	mg/L	是									
							氰化物(总氰化合物)	<0.001	0.2	mg/L	是									
							氟化物	0.12	10	mg/L	是									
							3	东莞市	东莞联桥电子有限公司	其他	废水排放口	电镀水污染物排放标准	2017/1/11	石油类	0.05	2	mg/L	是		
														PH值	6.86	6-9	无量纲	是		
														总磷	0.05	1	mg/L	是		
化学需氧量	62	80	mg/L	是																
总汞	<0.00004	0.005	mg/L	是																
总镉	<0.005	0.01	mg/L	是																
总铬	<0.03	0.5	mg/L	是																
六价铬	<0.004	0.1	mg/L	是																
总砷	<0.0003		mg/L																	
总铅	<0.07	0.1	mg/L	是																
总镍	<0.02	0.5	mg/L	是																
总铜	0.42	0.5	mg/L	是																
悬浮物	12	30	mg/L	是																
总锌	<0.004	1	mg/L	是																
总铁	0.48	2	mg/L	是																
总银	<0.03	0.1	mg/L	是																
总铝	0.79	2	mg/L	是																
氨氮	12.15	15	mg/L	是																
总氮	18.15	20	mg/L	是																
氰化物(总氰化合物)	0.012	0.2	mg/L	是																
氟化物	0.02	10	mg/L	是																
石油类	0.2	2	mg/L	是																
4	东莞市	东莞南城新科磁电制品有限公司	珠江三角洲河网区	排放口	广东省地方标准《水污染物排放限值》	2017/1/3	PH值	7.23	6-9	无量纲	是									
							磷酸盐(以P计)	0.08	0.5	mg/L	是									
							化学需氧量	13	90	mg/L	是									
							悬浮物	<4	60	mg/L	是									
							氨氮	0.478	10	mg/L	是									

5	东莞市	扬宣电子(东莞)有限公司	其他	废水排放口	电镀水污染物排放标准	2017/2/16	石油类	<0.04	5	mg/L	是		
						2017/2/16	生化需氧量	3.1	20	mg/L	是		
						2017/1/11	总砷	<0.0003		mg/L			
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总铜	<0.01	0.5	mg/L	是		
							悬浮物	6	30	mg/L	是		
							总锌	<0.004	1	mg/L	是		
							总铁	0.02	2	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							总铝	<0.07	2	mg/L	是		
							氨氮	0.33	15	mg/L	是		
							总氮	2.41	20	mg/L	是		
							氰化物(总氰化合物)	<0.001	0.2	mg/L	是		
							氟化物	0.14	10	mg/L	是		
							石油类	<0.04	2	mg/L	是		
							PH值	6.89	6-9	无量纲	是		
							总磷	0.02	1	mg/L	是		
							化学需氧量	12	80	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
总镉	<0.005	0.01	mg/L	是									
总铬	<0.03	0.5	mg/L	是									
六价铬	<0.004	0.1	mg/L	是									
6	东莞市	东莞瑞升电子有限公司	东江	总口	电镀水污染物排放标准	2017/2/13	总砷	<0.0003		mg/L			
							总铅	<0.07	0.1	mg/L	是		
							氰化物(总氰化合物)	<0.001	0.2	mg/L	是		
							氟化物	<0.31	10	mg/L	是		
							氨氮	7.94	8	mg/L	是		
							总氮	19.3	20	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							石油类	0.1	2	mg/L	是		
							总镍	<0.02	0.1	mg/L	是		
							PH值	7.14	6-9	无量纲	是		
							总磷	0.97	1	mg/L	是		
							化学需氧量	25	50	mg/L	是		
							总铜	0.06	0.3	mg/L	是		
							悬浮物	<4	30	mg/L	是		
							总锌	<0.004	1	mg/L	是		
总铁	<0.02	2	mg/L	是									
总银	<0.03	0.1	mg/L	是									
7	东莞市	东莞首富电子有限公司	东江	排放口	广东省地方标准《水污染物排放限	2017/1/10	总铬	1.5	1.5	mg/L	是		
							总锌	2	2	mg/L	是		
							总锰	2	2	mg/L	是		
							PH值	7.04	6-9	无量纲	是		
							化学需氧量	12	90	mg/L	是		
							总镍	1	1	mg/L	是		
							总铜	0.5	0.5	mg/L	是		
总汞	0.05	0.05	mg/L	是									

					值》		总镉	0.1	0.1	mg/L	是		
							总银	0.5	0.5	mg/L	是		
							氨氮	10	10	mg/L	是		
							六价铬	0.5	0.5	mg/L	是		
							总铅	1	1	mg/L	是		
8	东莞市	东莞裕祥鞋材有限公司	东江	总口	广东省地方标准《水污染物排放限值》	2017/2/16	六价铬	<0.04	0.5	mg/L	是		
							悬浮物	<0.04	70	mg/L	是		
							氨氮	0.768	10	mg/L	是		
							硫化物	<0.02	0.5	mg/L	是		
							石油类	0.05	5	mg/L	是		
							动植物油	0.05	10	mg/L	是		
							PH值	7.24	6-9	无量纲	是		
							生化需氧量	2.9	20	mg/L	是		
							化学需氧量	13	100	mg/L	是		
							色度	2	50	mg/L	是		
							总铬	<0.04	1.5	mg/L	是		
9	东莞市	旗利得电子(东莞)有限公司	石马河	废水排放口	电镀水污染物排放标准	2017/2/9	氰化物(总氰化合物)	<0.001	0.2	mg/L	是		
							氟化物	0.08	10	mg/L	是		
							石油类	0.06	2	mg/L	是		
							总氮	11	20	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铜	0.24	0.3	mg/L	是		
							PH值	7.15	6-9	无量纲	是		
							总磷	0.14	1	mg/L	是		
							化学需氧量	13	50	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							氨氮	0.154	8	mg/L	是		
							悬浮物	<4	30	mg/L	是		
							总锌	<0.033	1	mg/L	是		
							总铁	1.67	2	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	0.1	0.1	mg/L	是		
10	东莞市	台丰印刷电路板(东莞)有限公司	东江	排放口	广东省地方标准《水污染物排放限值》	2017/2/8	总镍	<0.02	1	mg/L	是		
							总铜	0.05	0.5	mg/L	是		
							PH值	6.98	6-9	无量纲	是		
							化学需氧量	15	90	mg/L	是		
							总汞	0.00004	0.05	mg/L	是		
							总锰	<0.004	2	mg/L	是		
							氨氮	2.9	10	mg/L	是		
							总镉	<0.005	0.1	mg/L	是		

							总铬	<0.03	1.5	mg/L	是		
							六价铬	<0.004	0.5	mg/L	是		
							总铅	<0.07	1	mg/L	是		
							总锌	<0.004	2	mg/L	是		
11	东莞市	东莞塘厦裕华电路板有限公司	东江	排放口	污水综合排放标准	2017/1/3	总镍	<0.02	1	mg/L	是		
							总铜	<0.01	0.5	mg/L	是		
							总锌	<0.004	2	mg/L	是		
							氨氮	0.278	15	mg/L	是		
							化学需氧量	12	100	mg/L	是		
							总汞	0.00004	0.05	mg/L	是		
							总镉	<0.005	0.1	mg/L	是		
							总铬	<0.03	1.5	mg/L	是		
							六价铬	<0.004	0.5	mg/L	是		
							总铅	<0.07	1	mg/L	是		
							PH值	6.31	6-9	无量纲	是		
12	东莞市	东莞山本电子科技有限公司	东江	车间废水排放口	电镀水污染物排放标准	2017/2/14	总银	<0.03	0.1	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.1	mg/L	是		
							总铜	0.08	0.5	mg/L	是		
							悬浮物	<4	30	mg/L	是		
							氟化物	0.07	10	mg/L	是		
							总锌	0.018	1	mg/L	是		
							总铁	0.4	2	mg/L	是		
							PH值	6.91	6-9	无量纲	是		
							总银	<0.03	0.1	mg/L	是		
							氨氮	5.4	15	mg/L	是		
							总氮	13.8	20	mg/L	是		
							氰化物（总氰化合物）	<0.001	0.2	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总磷	0.02	1	mg/L	是		
							化学需氧量	19	80	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							含铬废水预处理排放口						

13	东莞市	东莞市豪丰环保投资有限公司	东江	含镍废水预处理排放口	电镀水污染物排放标准	2017/1/11	总汞	<0.00004	0.005	mg/L	是		
				总镉			<0.005	0.01	mg/L	是			
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							总氮	1.91	20	mg/L	是		
							PH值	7.86	6-9	无量纲	是		
							总铁	<0.02	2	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							氨氮	0.038	15	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
				总排放口			氰化物(总氰化合物)	<0.001	0.2	mg/L	是		
							氟化物	<0.02	10	mg/L	是		
							石油类	<0.04	2	mg/L	是		
							总铜	<0.01	0.5	mg/L	是		
							悬浮物	16	30	mg/L	是		
							总锌	<0.004	1	mg/L	是		
							总磷	0.04	1	mg/L	是		
							化学需氧量	13	80	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总砷	<0.0003		mg/L			
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
				废水车间排放口			总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	0.1	0.1	mg/L	是		
							总镍	0.02	0.5	mg/L	是		
							总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总铜	0.09	0.5	mg/L	是		
							PH值	6.78	6-9	无量纲	是		
							总磷	0.01	1	mg/L	是		
							化学需氧量	14	80	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							氨氮	0.596	15	mg/L	是		
							总氮	6.74	20	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总砷	<0.0003		mg/L			
				工业排放口			氰化物(总氰化合物)	0.009	0.2	mg/L	是		
							氟化物	0.71	10	mg/L	是		
							石油类	0.08	2	mg/L	是		
14	东莞市	东莞市生益电子有限公司	东江	废水车间排放口	电镀水污染物排放标准	2017/2/15	总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	<0.02	0.5	mg/L	是		
							总铜	0.09	0.5	mg/L	是		
							PH值	6.78	6-9	无量纲	是		
							总磷	0.01	1	mg/L	是		
							化学需氧量	14	80	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							氨氮	0.596	15	mg/L	是		
							总氮	6.74	20	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总砷	<0.0003		mg/L			
							氰化物(总氰化合物)	0.009	0.2	mg/L	是		
							氟化物	0.71	10	mg/L	是		
							石油类	0.08	2	mg/L	是		

15	东莞市	东莞市泰景环保科技有限公司(危废)	东江	2017/1/5	电镀水污染物排放标准	第二预处理站含铬废水预处理排放口	悬浮物	<4	30	mg/L	是		
						第二预处理站含镍废水预处理排放口	总锌	0.019	1	mg/L	是		
							总铁	0.4	2	mg/L	是		
							总汞	0.00034	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	0.35	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	0.11	0.5	mg/L	是		
						第二预处理站混排废水预处理排放口	总银	<0.03	0.1	mg/L	是		
							总汞	0.00034	0.005	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							总镉	<0.005	0.01	mg/L	是		
							总汞	0.00025	0.005	mg/L	是		
							总铬	<0.03	0.5	mg/L	是		
							六价铬	<0.004	0.1	mg/L	是		
							总铅	<0.07	0.1	mg/L	是		
							总镍	0.14	0.5	mg/L	是		
							总银	<0.03	0.1	mg/L	是		
							第一预处理站含铬废水预处理排放口	总银	<0.03	0.1	mg/L	是	
						总汞		0.00024	0.005	mg/L	是		
						总镉		<0.005	0.01	mg/L	是		
						总铬		0.08	0.5	mg/L	是		
						六价铬		<0.004	0.1	mg/L	是		
						总铅		<0.07	0.1	mg/L	是		
总镍	0.03	0.5	mg/L	是									
总镍	0.04	0.5	mg/L	是									
总汞	0.00037	0.005	mg/L	是									
总镉	<0.005	0.01	mg/L	是									
总铬	0.08	0.5	mg/L	是									
六价铬	<0.004	0.1	mg/L	是									
第一预处理站混排废水预处理排放口	总铅	<0.07	0.1	mg/L	是								
	总银	<0.03	0.1	mg/L	是								
	总汞	0.00032	0.005	mg/L	是								
	总镉	<0.005	0.01	mg/L	是								
	总铬	0.07	0.5	mg/L	是								
	六价铬	<0.004	0.1	mg/L	是								
	总铅	<0.07	0.1	mg/L	是								
	总镍	0.03	0.5	mg/L	是								
	总银	<0.03	0.1	mg/L	是								
	氟化物	0.93	10	mg/L	是								
	石油类	0.04	2	mg/L	是								
	总铁	<0.02	2	mg/L	是								
六价铬	<0.004	0.1	mg/L	是									

17	东莞市	陆逊梯卡华宏(东莞)眼镜有限公司	东江	含镍废水预处理排放口	电镀水污染物排放标准	总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
18	东莞市	东莞美维电路有限公司	其他	总排放口	电镀水污染物排放标准	总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
						悬浮物	<4	30	mg/L	是		
						总铁	<0.02	2	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总锌	<0.004	1	mg/L	是		
						氟化物	0.07	10	mg/L	是		
						氨氮	0.04	15	mg/L	是		
						总氮	5.54	20	mg/L	是		
						氰化物(总氰化合物)	<0.001	0.2	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						石油类	<0.04	2	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.1	mg/L	是		
						总铜	<0.01	0.5	mg/L	是		
						PH值	7.38	6-9	无量纲	是		
						总磷	0.04	1	mg/L	是		
						化学需氧量	11	80	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铝	<0.07	2	mg/L	是		
总砷	0.0032											
总磷	0.35	1	mg/L	是								
化学需氧量	17	80	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
氨氮	2.54	15	mg/L	是								
总氮	9.32	20	mg/L	是								
氰化物(总氰化合物)	<0.001	0.2	mg/L	是								
氟化物	0.56	10	mg/L	是								
石油类	0.08	2	mg/L	是								
总铜	0.06	0.5	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	0.0019		mg/L									
总铅	<0.07	0.1	mg/L	是								
总镍	<0.02	0.5	mg/L	是								
PH值	7.38	6-9	无量纲	是								
悬浮物	14	30	mg/L	是								
总锌	<0.004	1	mg/L	是								

中 公司	排放标准	镍预处理排放口	总铁	0.11	2	mg/L	是			
			总银	<0.03	0.1	mg/L	是			
			总铝	<0.07	2	mg/L	是			
			总镉	<0.005	0.01	mg/L	是			
			总银	<0.03	0.1	mg/L	是			
			总汞	<0.00004	0.005	mg/L	是			
			总镉	<0.005	0.01	mg/L	是			
			总铬	<0.03	0.5	mg/L	是			
			六价铬	<0.004	0.1	mg/L	是			
			总铅	<0.07	0.1	mg/L	是			
		总镍	<0.02	0.5	mg/L	是				
		六价铬	<0.004	0.1	mg/L	是				
		总铅	<0.07	0.1	mg/L	是				
		总汞	<0.00004	0.005	mg/L	是				
		总镉	<0.005	0.01	mg/L	是				
		总铬	<0.03	0.5	mg/L	是				
		总镍	<0.02	0.5	mg/L	是				
		总银	<0.03	0.1	mg/L	是				
		银预处理排放口								

注：L表示检验数值低于方法最低检出限，以所使用的方法检出限值报出。