

3	东莞 辖镇	东莞柏 狮精密 电子有 限公司	含银废 水预处 理排放 口	电镀水污 染物排放 标准	2017/1/11	总氮	1.91	20	mg/L	是							
						氰化物（总氰 化合物）	<0.001	0.2	mg/L	是							
						氟化物	<0.02	10	mg/L	是							
						石油类	<0.04	2	mg/L	是							
						总铜	<0.01	0.5	mg/L	是							
						总汞	<0.00004	0.005	mg/L	是							
						总镉	<0.005	0.01	mg/L	是							
						总铬	<0.03	0.5	mg/L	是							
						六价铬	<0.004	0.1	mg/L	是							
						总铅	<0.07	0.1	mg/L	是							
						总镍	<0.02	0.5	mg/L	是							
						总银	<0.03	0.1	mg/L	是							
						六价铬	<0.004	0.1	mg/L	是							
						总砷	<0.0003		mg/L								
						总铅	<0.07	0.1	mg/L	是							
						总锌	<0.004	1	mg/L	是							
						总汞	<0.00004	0.005	mg/L	是							
			4	东莞 辖镇		东莞今 日兴五 金表面 处理有 限公司	第一预 处理站 含铬废 水预处 理排放 口	电镀水污 染物排放 标准	2017/1/5	总汞	0.00024	0.005	mg/L	是			
											总镉	<0.005	0.01	mg/L	是		
											总汞	0.00037	0.005	mg/L	是		
		总镉			<0.005		0.01			mg/L	是						
		总铬			0.08		0.5			mg/L	是						
		六价铬			<0.004		0.1			mg/L	是						
		总铅			<0.07		0.1			mg/L	是						
		总镍			0.04		0.5			mg/L	是						
		总银			<0.03		0.1			mg/L	是						
		总镉			<0.005		0.01			mg/L	是						
		总铬			0.07		0.5			mg/L	是						
		六价铬			<0.004		0.1			mg/L	是						
		总铅			<0.07		0.1			mg/L	是						
		总镍			0.03		0.5			mg/L	是						
		总银			<0.03		0.1			mg/L	是						
		总汞			0.00032		0.005			mg/L	是						
		总汞			<0.00004		0.005			mg/L	是						
		总镉			<0.005		0.01			mg/L	是						
		总铬			<0.03		0.5			mg/L	是						
		总铅			<0.07		0.1			mg/L	是						
		总锌	0.011	1	mg/L	是											
		六价铬	<0.004	0.1	mg/L	是											
		总砷	0.0032		mg/L												
		总镍	0.07	0.5	mg/L	是											
		总铜	0.08	0.5	mg/L	是											
		总汞	0.00024	0.005	mg/L	是											

5	东莞 辖镇	东莞市 冠隆实 业有限公司	第一预 处理站 含铬废 水排放 口	电镀水污 染物排放 标准	总镉	<0.005	0.01	mg/L	是						
			第一预 处理站 含镍废 水排放 口		总铬	0.08	0.5	mg/L	是						
			2017/1/5						六价铬	<0.004	0.1	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
									总镍	0.03	0.5	mg/L	是		
									总银	<0.03	0.1	mg/L	是		
									总汞	0.00037	0.005	mg/L	是		
									总镉	<0.005	0.01	mg/L	是		
									总铬	0.08	0.5	mg/L	是		
									六价铬	<0.004	0.1	mg/L	是		
									总镍	0.04	0.5	mg/L	是		
									总银	<0.03	0.1	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
									总汞	0.0032	0.005	mg/L	是		
									总镉	<0.005	0.01	mg/L	是		
									总铬	0.07	0.5	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
									总镍	0.03	0.5	mg/L	是		
									总银	<0.03	0.1	mg/L	是		
									六价铬	<0.004	0.1	mg/L	是		
总汞	<0.00004	0.005		mg/L					是						
总镉	<0.005	0.01		mg/L					是						
总铬	<0.03	0.5	mg/L	是											
六价铬	<0.004	0.1	mg/L	是											
总砷	0.0032		mg/L												
总铅	<0.07	0.1	mg/L	是											
总锌	0.011	1	mg/L	是											
总镍	0.07	0.5	mg/L	是											
总铜	0.08	0.5	mg/L	是											
6	东莞 辖镇	东莞市 亨锋五 金制品 有限公司	第二预 处理站 含铬废 水排放 口	电镀水污 染物排放 标准	总汞	0.00031	0.005	mg/L	是						
			第二预 处理站 含镍废 水排放 口		总银	<0.03	0.1	mg/L	是						
			2017/1/5						总镉	<0.005	0.01	mg/L	是		
									总铬	<0.03	0.5	mg/L	是		
									六价铬	<0.004	0.1	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
									总镍	0.35	0.5	mg/L	是		
									总镍	0.11	0.5	mg/L	是		
									总汞	0.00034	0.005	mg/L	是		
									总镉	<0.005	0.01	mg/L	是		
									总铬	<0.03	0.5	mg/L	是		
									六价铬	<0.004	0.1	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
									总银	<0.03	0.1	mg/L	是		
									总汞	0.00025	0.005	mg/L	是		
									总镉	<0.005	0.01	mg/L	是		
									总铬	<0.03	0.5	mg/L	是		
									六价铬	<0.004	0.1	mg/L	是		
									总银	<0.03	0.1	mg/L	是		
									总铅	<0.07	0.1	mg/L	是		
总镍	0.14	0.5		mg/L					是						
总锌	0.011	1		mg/L					是						
总汞	<0.00004	0.005	mg/L	是											
总镉	<0.005	0.01	mg/L	是											
总铬	<0.03	0.5	mg/L	是											
				电镀污染											

			排放口	物排放标准		六价铬	<0.004	0.1	mg/L	是		
						总砷	0.0032		mg/L			
						总铅	<0.07	0.1	mg/L	是		
						总镍	0.07	0.5	mg/L	是		
						总铜	0.08	0.5	mg/L	是		
7	东莞 辖镇	东莞永 晋灯饰 有限公司	第二预 处理站 含铬废 水预处 理排放 口	电镀水污 染物排放 标准	2017/1/5	总镍	0.35	0.5	mg/L	是		
			总汞			0.00031	0.005	mg/L	是			
			总镉			<0.005	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.07	0.1	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
			总汞			0.00034	0.005	mg/L	是			
			总镉			<0.005	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.007	0.1	mg/L	是			
			总镍	0.11		0.5	mg/L	是				
			总银	<0.03		0.1	mg/L	是				
			总汞	0.000025		0.005	mg/L	是				
			总镉	<0.005		0.01	mg/L	是				
			总铬	<0.03		0.5	mg/L	是				
			总铅	<0.07		0.1	mg/L	是				
			总镍	0.14		0.5	mg/L	是				
			总银	<0.03		0.1	mg/L	是				
六价铬	<0.004	0.1	mg/L	是								
总锌	0.011	1	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	0.0032		mg/L									
总铅	<0.07	0.1	mg/L	是								
总镍	0.07	0.5	mg/L	是								
总铜	0.08	0.5	mg/L	是								
8	东莞 辖镇	富加宜 连接器 (东莞) 有限公司	含镍废 水预处 理排放 口	电镀水污 染物排放 标准	2017/2/5	总铬	<0.03	0.5	mg/L	是		
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.005	0.01	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.07	0.1	mg/L	是			
			总镍			<0.02	0.5	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
			总汞			<0.00004	0.005	mg/L	是			
			总铬	<0.03		0.5	mg/L	是				
			六价铬	<0.004		0.1	mg/L	是				
			总铅	<0.07		0.1	mg/L	是				
			总镍	<0.02		0.5	mg/L	是				
			总银	<0.03		0.1	mg/L	是				
			总镉	<0.005		0.01	mg/L	是				
			六价铬	<0.004		0.1	mg/L	是				
			总砷	<0.0003			mg/L					
总铅	<0.07	0.1	mg/L	是								
总镍	0.08	0.1	mg/L	是								
总铜	<0.01	0.3	mg/L	是								
			排放口	电镀污染 物排放标								

9	东莞市	东莞三兴五金制品有限公司	铬预处理排放口	电镀水污染物排放标准	2016/12/9	总锌	0.01	1	mg/L	是		
					总汞	<0.00004	0.005	mg/L	是			
					总镉	<0.005	0.01	mg/L	是			
					总铬	<0.03	0.5	mg/L	是			
					2016/12/9	总汞	0.0002	0.005	mg/L	是		
					总镉	<0.001	0.01	mg/L	是			
					总铬	<0.03	0.5	mg/L	是			
					六价铬	<0.004	0.1	mg/L	是			
					总铅	<0.01	0.1	mg/L	是			
					总镍	<0.05	0.5	mg/L	是			
					2017/1/5	总汞	<0.00004	0.005	mg/L	是		
					总镉	<0.005	0.01	mg/L	是			
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总铅	<0.07	0.1	mg/L	是					
			总镍	<0.02	0.5	mg/L	是					
			2016/12/9	总汞	<0.00004	0.005	mg/L	是				
			总镉	<0.001	0.01	mg/L	是					
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总铅	<0.01	0.1	mg/L	是					
			总镍	<0.05	0.5	mg/L	是					
			2017/1/5	总汞	<0.00004	0.005	mg/L	是				
			总镉	<0.005	0.01	mg/L	是					
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总铅	<0.07	0.1	mg/L	是					
			总镍	<0.02	0.5	mg/L	是					
			2016/12/9	六价铬	<0.004	0.1	mg/L	是				
			总砷	<0.0003		mg/L						
			总铅	<0.01	0.1	mg/L	是					
			总镍	<0.05	0.5	mg/L	是					
			总铜	<0.05	1	mg/L	是					
总锌	<0.02	2	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.001	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
2017/1/5	六价铬	<0.004	0.1	mg/L	是							
总砷	<0.0003		mg/L									
总铅	<0.07	0.1	mg/L	是								
总镍	<0.02	0.5	mg/L	是								
总铜	<0.01	1	mg/L	是								
总锌	0.008	2	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
2016/12/9	总汞	<0.00004	0.005	mg/L	是							
总镉	<0.001	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总铅	<0.01	0.1	mg/L	是								
总镍	<0.05	0.5	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								

10	东莞市	东莞市佳钦五金塑胶有限公司	排放口	电镀水污染物排放标准	2017/1/5	总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
					2016/12/9	总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
						总镍	<0.05	0.5	mg/L	是		
						总铜	<0.05	1	mg/L	是		
			2017/1/5		总锌	<0.02	2	mg/L	是			
					总汞	<0.00004	0.005	mg/L	是			
					总镉	<0.005	0.01	mg/L	是			
					总铬	<0.03	0.5	mg/L	是			
					六价铬	<0.004	0.1	mg/L	是			
					总砷	<0.0003		mg/L				
					总铅	<0.07	0.1	mg/L	是			
					总镍	<0.02	0.5	mg/L	是			
			11		东莞市	东莞市利通皮革制品有限公司（原东莞市利锋皮革制品有限公司）	铬预处理排放口	广东省地方标准《水污染物排放限值》	2017/1/12	总铜	<0.01	1
排放口	总汞	<0.00004		0.05			mg/L			是		
	总镉	<0.005		0.1			mg/L			是		
	总铬	0.18		1.5			mg/L			是		
	六价铬	<0.004		0.5			mg/L			是		
	总铅	<0.07		1			mg/L			是		
	总镍	<0.02		1			mg/L			是		
	总汞	<0.00004		0.05			mg/L			是		
	总镉	<0.005		0.1			mg/L			是		
	总铬	0.05		1.5			mg/L			是		
	六价铬	<0.004		0.5			mg/L			是		
	总砷	<0.0003		0.5			mg/L			是		
	总铅	<0.07		1			mg/L		是			
总镍	<0.02	1		mg/L			是					
总铜	0.44	0.5		mg/L			是					
总锌	<0.004	2		mg/L			是					
2016/12/9	总汞	0.0002		0.005			mg/L		是			
	总镉	<0.001		0.01			mg/L		是			
	总铬	<0.03		0.5			mg/L		是			
	六价铬	<0.004		0.1			mg/L		是			
	总铅	<0.01		0.1			mg/L		是			
	总镍	<0.05	0.5	mg/L	是							
	2017/1/5	总汞	<0.00004	0.005	mg/L	是						
		总镉	<0.005	0.01	mg/L	是						
		总铬	<0.03	0.5	mg/L	是						
		六价铬	<0.004	0.1	mg/L	是						
		总铅	<0.07	0.1	mg/L	是						
		总镍	<0.02	0.5	mg/L	是						
2016/12/9	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.001	0.01	mg/L	是							
	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.01	0.1	mg/L	是							

12	东莞市	东莞市乾发电镀有限公司 (原东莞市虎门润威五金塑胶制品厂)	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总镍	<0.05	0.5	mg/L	是		
			排放口			总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
					六价铬	<0.004	0.1	mg/L	是			
					总砷	<0.0003		mg/L				
					总铅	<0.01	0.1	mg/L	是			
					总镍	<0.05	0.5	mg/L	是			
					总铜	<0.05	1	mg/L	是			
		总锌	<0.02		2	mg/L	是					
		总汞	<0.00004		0.005	mg/L	是					
		总镉	<0.001		0.01	mg/L	是					
		总铬	<0.03		0.5	mg/L	是					
		2017/1/5	总汞		<0.00004	0.005	mg/L	是				
			总镉		<0.005	0.01	mg/L	是				
			总铬		<0.03	0.5	mg/L	是				
			六价铬		<0.004	0.1	mg/L	是				
			总砷		<0.0003		mg/L					
总铅	<0.07		0.1	mg/L	是							
总镍	<0.02		0.5	mg/L	是							
总铜	<0.01	1	mg/L	是								
总锌	0.008	2	mg/L	是								
13	东莞市	东莞长安华南电子厂	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总汞	<0.00004	0.005	mg/L	是		
			排放口			总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
		六价铬				<0.004	0.1	mg/L	是			
		总砷				<0.0003		mg/L				
		总铅				<0.07	0.1	mg/L	是			
		总镍				<0.02	0.5	mg/L	是			
		总铜	<0.01			0.5	mg/L	是				
		总锌	0.004			1	mg/L	是				
		总汞	<0.00004			0.005	mg/L	是				
		总镉	<0.005			0.01	mg/L	是				
		总铬	<0.03			0.5	mg/L	是				
		2016/12/9	总汞	<0.00004	0.005	mg/L	是					
			总镉	<0.001	0.01	mg/L	是					
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总铅	<0.01	0.1	mg/L	是					
			总镍	<0.05	0.5	mg/L	是					
		2016/12/14	总汞	<0.00004	0.005	mg/L	是					
			总镉	<0.001	0.01	mg/L	是					
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总铅	<0.01	0.1	mg/L	是					
			总镍	<0.05	0.5	mg/L	是					
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.001	0.01	mg/L	是							

镍预处理
排放口

2016/12/23	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/24	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
2016/12/25	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
2016/12/26	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
2016/12/27	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
2016/12/28	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
2016/12/29	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2017/1/5	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
2017/1/12	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		

2017/1/17	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
2017/2/23	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
2016/12/9	总镍	<0.02	0.5	mg/L	是		
	六价铬	0.036	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	4.26	0.5	mg/L	否	7.5	
	总铜	21.8	1	mg/L	否	21	
	总锌	0.08	2	mg/L	是		
	总汞	0.00045	0.005	mg/L	是		
2016/12/14	总镉	<0.001	0.01	mg/L	是		
	总铬	0.13	0.5	mg/L	是		
	总镍	0.46	0.5	mg/L	是		
	总铜	0.24	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	0.00036	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	六价铬	0.06	0.5	mg/L	是		
2016/12/23	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	0.00064		mg/L			
	总铅	<0.01	0.1	mg/L	是		
2016/12/24	总镍	0.12	0.5	mg/L	是		
	总铜	0.13	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
2016/12/25	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	<0.05	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
2016/12/25	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	<0.05	1	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		

排放口

2016/12/26	总锌	<0.02	2	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	<0.05	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	2016/12/27	总汞	<0.00004	0.005	mg/L	是	
总镉		<0.001	0.01	mg/L	是		
总铬		<0.03	0.5	mg/L	是		
六价铬		<0.004	0.1	mg/L	是		
总砷		<0.0003		mg/L			
总铅		<0.01	0.1	mg/L	是		
总镍		<0.05	0.5	mg/L	是		
总铜		<0.05	1	mg/L	是		
2016/12/28	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/29	总铜	0.21	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
2017/1/5	总镍	<0.05	0.5	mg/L	是		
	总铜	0.11	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
2017/1/12	总铅	<0.07	0.1	mg/L	是		
	总镍	0.12	0.5	mg/L	是		
	总铜	0.09	1	mg/L	是		
	总锌	0.061	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	总砷	<0.0003		mg/L			
2017/1/12	总镍	0.06	0.5	mg/L	是		
	总铜	<0.01	1	mg/L	是		
	总锌	<0.004	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		

15	东莞市	东莞长安品质电子制造厂	总排放口	地表水环境质量标准	2017/1/17	总铅	<0.07	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
						总铜	0.02	1	mg/L	是		
						总锌	0.079	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
			总铬	<0.03	0.5	mg/L	是					
			六价铬	<0.004	0.1	mg/L	是					
			总砷	<0.0003		mg/L						
			总铅	<0.07	0.1	mg/L	是					
			总镍	0.07	0.5	mg/L	是					
			总铜	0.36	1	mg/L	是					
			总锌	0.087	2	mg/L	是					
			镍预处理排放口	地表水环境质量标准	2017/1/5	六价铬	<0.004	0.05	mg/L	是		
						砷	<0.0003	0.1	mg/L	是		
						汞	<0.00004	0.001	mg/L	是		
						镉	<0.005	0.005	mg/L	是		
						铅	<0.01	0.05	mg/L	是		
总镍	<0.02	0.5				mg/L	是					
总铜	0.23	0.3				mg/L	是					
总锌	0.006	1				mg/L	是					
总铬	<0.03	0.5				mg/L	是					
六价铬	<0.004	0.05				mg/L	是					
汞	<0.00004	0.001				mg/L	是					
镉	<0.005	0.005				mg/L	是					
铅	<0.01	0.05	mg/L	是								
总镍	<0.02	0.1	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
银预处理排放口	地表水环境质量标准	2016/12/9	六价铬	<0.004	0.05	mg/L	是					
			汞	<0.00004	0.001	mg/L	是					
			镉	<0.005	0.005	mg/L	是					
			铅	<0.01	0.05	mg/L	是					
			总镍	<0.02	0.1	mg/L	是					
			总铬	<0.03	0.5	mg/L	是					
			六价铬	0.036	0.1	mg/L	是					
			总砷	<0.0003		mg/L						
			总铅	<0.01	0.1	mg/L	是					
			总镍	4.26	0.5	mg/L	否	7.5				
			总铜	21.8	1	mg/L	否	21				
			总锌	0.08	2	mg/L	是					
			总汞	0.00045	0.005	mg/L	是					
			总镉	<0.001	0.01	mg/L	是					

废水不外排

16	东莞市	东莞长安生兴五金电镀厂(利华)	排放口	电镀水污染物排放标准	2016/12/14	总铬	0.13	0.5	mg/L	是		
						总镍	0.46	0.5	mg/L	是		
						总铜	0.24	1	mg/L	是		
						总锌	<0.02	2	mg/L	是		
						总汞	0.00036	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	0.06	0.5	mg/L	是		
						六价铬	0.041	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
					2016/12/23	总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	0.00064		mg/L			
						总铅	<0.01	0.1	mg/L	是		
						总镍	0.12	0.5	mg/L	是		
						总铜	0.13	1	mg/L	是		
					2016/12/24	总锌	<0.02	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
						总镍	<0.05	0.5	mg/L	是		
					2016/12/25	总铜	<0.05	1	mg/L	是		
						总锌	<0.02	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
					2016/12/26	总镍	<0.05	0.5	mg/L	是		
						总铜	<0.05	1	mg/L	是		
						总锌	<0.02	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
					2016/12/27	总铅	<0.01	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
总镉	<0.001	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	<0.0003		mg/L									
总铜	0.1	1	mg/L	是								

	总锌	<0.02	2	mg/L	是		
2016/12/28	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	0.21	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	2016/12/29	总汞	<0.00004	0.005	mg/L	是	
总镉		<0.001	0.01	mg/L	是		
总铬		<0.03	0.5	mg/L	是		
六价铬		<0.004	0.1	mg/L	是		
总砷		<0.0003		mg/L			
总铅		<0.01	0.1	mg/L	是		
总镍		<0.05	0.5	mg/L	是		
总铜		0.11	1	mg/L	是		
总锌		<0.02	2	mg/L	是		
2017/1/5		总汞	<0.00004	0.005	mg/L	是	
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.07	0.1	mg/L	是		
	总镍	0.12	0.5	mg/L	是		
	总铜	0.09	1	mg/L	是		
	总锌	0.061	2	mg/L	是		
	2017/1/12	总镍	0.06	0.5	mg/L	是	
总铜		<0.01	1	mg/L	是		
总锌		<0.004	2	mg/L	是		
总汞		<0.00004	0.005	mg/L	是		
总镉		<0.005	0.01	mg/L	是		
总铬		<0.03	0.5	mg/L	是		
六价铬		<0.004	0.1	mg/L	是		
总砷		<0.0003		mg/L			
总铅		<0.07	0.1	mg/L	是		
2017/1/17		总汞	<0.00004	0.005	mg/L	是	
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
	总铜	0.02	1	mg/L	是		
	总锌	0.079	2	mg/L	是		
	2017/2/23	总汞	<0.00004	0.005	mg/L	是	
总镉		<0.005	0.01	mg/L	是		
总铬		<0.03	0.5	mg/L	是		
六价铬		<0.004	0.1	mg/L	是		
总砷		<0.0003		mg/L			
总铅		<0.07	0.1	mg/L	是		
总镍		0.07	0.5	mg/L	是		
总铜		0.36	1	mg/L	是		

17	东莞市	东莞达成金属制品有限公司	排放口	电镀水污染物排放标准	2017/1/5	总锌	0.087	2	mg/L	是							
						总汞	<0.00004	0.005	mg/L	是							
						总镉	<0.005	0.01	mg/L	是							
						总铬	<0.03	0.5	mg/L	是							
						六价铬	<0.004	0.1	mg/L	是							
						总砷	<0.0003		mg/L								
			总铅			<0.07	0.1	mg/L	是								
			总镍			<0.02	0.5	mg/L	是								
			总铜			<0.01	0.5	mg/L	是								
			总锌			0.008	1	mg/L	是								
			总汞			<0.00004	0.005	mg/L	是								
			总镉			<0.005	0.01	mg/L	是								
			总铬			<0.03	0.5	mg/L	是								
			六价铬			<0.004	0.1	mg/L	是								
			总铅			<0.07	0.1	mg/L	是								
			总镍			<0.02	0.5	mg/L	是								
			18			东莞市	东莞东旭金属表面处理有限公司	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总汞	<0.00004	0.005	mg/L	是		
											总镉	<0.005	0.01	mg/L	是		
总铬	<0.03	0.5		mg/L	是												
六价铬	<0.004	0.1		mg/L	是												
总铅	<0.07	0.1		mg/L	是												
总镍	<0.02	0.5		mg/L	是												
排放口	总汞	<0.00004		0.005	mg/L			是									
	总镉	<0.005		0.01	mg/L			是									
	总铬	<0.03		0.5	mg/L			是									
	六价铬	<0.004		0.1	mg/L			是									
	总砷	<0.0003			mg/L												
	总铅	<0.07		0.1	mg/L			是									
19	东莞市	东莞虎门路东艺海电镀厂		镍预处理排放口	电镀水污染物排放标准			2016/12/9			总汞	<0.00004	0.005	mg/L	是		
											总镉	<0.001	0.01	mg/L	是		
											总铬	<0.03	0.5	mg/L	是		
											六价铬	<0.004	0.1	mg/L	是		
											总铅	<0.01	0.1	mg/L	是		
											总镍	<0.05	0.5	mg/L	是		
				总汞		<0.00004	0.005	mg/L	是								
				总镉		<0.005	0.01	mg/L	是								
				总铬		<0.03	0.5	mg/L	是								
				六价铬		<0.004	0.1	mg/L	是								
				总铅		<0.07	0.1	mg/L	是								
				总镍		<0.02	0.5	mg/L	是								
	六价铬	<0.004	0.1	mg/L	是												
	总砷	<0.0003		mg/L													
	总铅	<0.01	0.1	mg/L	是												
	总镍	<0.05	0.5	mg/L	是												
	总铜	<0.05	1	mg/L	是												

20	东莞市	东莞虎门新海电镀有限公司	电镀水污染物排放标准	排放口	2017/1/5	总锌	<0.02	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
						总铜	<0.01	1	mg/L	是		
						总锌	0.008	2	mg/L	是		
						铬预处理排放口	2016/12/9	总汞	0.0002	0.005	mg/L	是
				总镉	<0.001			0.01	mg/L	是		
				总铬	<0.03			0.5	mg/L	是		
				六价铬	<0.004			0.1	mg/L	是		
				总铅	<0.01			0.1	mg/L	是		
				总镍	<0.05		0.5	mg/L	是			
				2017/1/5	总汞		<0.00004	0.005	mg/L	是		
					总镉		<0.005	0.01	mg/L	是		
					总铬		<0.03	0.5	mg/L	是		
					六价铬		<0.004	0.1	mg/L	是		
					总铅		<0.07	0.1	mg/L	是		
					总镍	<0.02	0.5	mg/L	是			
镍预处理排放口	2016/12/9	总汞	<0.00004	0.005	mg/L	是						
		总镉	<0.001	0.01	mg/L	是						
		总铬	<0.03	0.5	mg/L	是						
		六价铬	<0.004	0.1	mg/L	是						
		总铅	<0.01	0.1	mg/L	是						
2017/1/5	总镍	<0.05	0.5	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.005	0.01	mg/L	是							
	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.07	0.1	mg/L	是							
	总镍	<0.02	0.5	mg/L	是							
排放口	2016/12/9	总镍	<0.05	0.5	mg/L	是						
		总铜	<0.05	1	mg/L	是						
		总锌	<0.02	2	mg/L	是						
		总汞	<0.00004	0.005	mg/L	是						
		总镉	<0.001	0.01	mg/L	是						
		总铬	<0.03	0.5	mg/L	是						
		六价铬	<0.004	0.1	mg/L	是						
		总砷	<0.0003		mg/L							
		总铅	<0.01	0.1	mg/L	是						
		六价铬	<0.004	0.1	mg/L	是						
2017/1/5	总砷	<0.0003		mg/L								
	总铅	<0.07	0.1	mg/L	是							
	总镍	<0.02	0.5	mg/L	是							
	总铜	<0.01	1	mg/L	是							
	总锌	0.008	2	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.005	0.01	mg/L	是							

21	东莞市	东莞佳男五金电镀有限公司	排放口	电镀水污染物排放标准	2016/12/9	总铬	<0.03	0.5	mg/L	是								
						总汞	<0.00004	0.005	mg/L	是								
						总镉	<0.001	0.01	mg/L	是								
						总铬	<0.03	0.5	mg/L	是								
						六价铬	<0.004	0.1	mg/L	是								
						总砷	<0.0003		mg/L									
						总铅	<0.01	0.1	mg/L	是								
						总镍	<0.05	0.5	mg/L	是								
						总铜	<0.05	1	mg/L	是								
					总锌	<0.02	2	mg/L	是									
					2017/1/5	总汞	<0.00004	0.005	mg/L	是								
						总镉	<0.005	0.01	mg/L	是								
						总铬	<0.03	0.5	mg/L	是								
						六价铬	<0.004	0.1	mg/L	是								
						总砷	<0.0003		mg/L									
						总铅	<0.07	0.1	mg/L	是								
						总镍	<0.02	0.5	mg/L	是								
						总铜	<0.01	1	mg/L	是								
总锌	0.01	2	mg/L	是														
22	东莞市	东莞建通电子五金有限公司	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总汞	<0.00004	0.005	mg/L	是								
			排放口			总镉	<0.005	0.01	mg/L	是								
						总铬	<0.03	0.5	mg/L	是								
						六价铬	<0.004	0.1	mg/L	是								
						总铅	<0.07	0.1	mg/L	是								
						总镍	0.07	0.5	mg/L	是								
						总汞	<0.00004	0.005	mg/L	是								
						总镉	<0.005	0.01	mg/L	是								
						总铬	<0.03	0.5	mg/L	是								
						六价铬	<0.004	0.1	mg/L	是								
						总砷	<0.0003		mg/L									
						总铅	<0.07	0.1	mg/L	是								
						总镍	0.1	0.5	mg/L	是								
						总铜	<0.01	0.5	mg/L	是								
						总锌	0.011	1	mg/L	是								
						23	东莞市	东莞茂林电子有限公司	镍预处理排放口	电镀水污染物排放标准	2017/1/5	总汞	<0.00004	0.005	mg/L	是		
									排放口			总镉	<0.005	0.01	mg/L	是		
												总铬	<0.03	0.5	mg/L	是		
六价铬	<0.004	0.1	mg/L	是														
总铅	<0.07	0.1	mg/L	是														
总镍	<0.02	0.5	mg/L	是														
总汞	<0.00004	0.005	mg/L	是														
总镉	<0.005	0.01	mg/L	是														
总铬	<0.03	0.5	mg/L	是														
六价铬	<0.004	0.1	mg/L	是														
总砷	<0.0003		mg/L															
总铅	<0.07	0.1	mg/L	是														
总镍	<0.02	0.5	mg/L	是														
总铜	<0.01	0.5	mg/L	是														
总锌	0.014	1	mg/L	是														
			铬预处理排放口									总汞	<0.00004	0.005	mg/L	是		
			总镉									<0.005	0.01	mg/L	是			
			总铬									<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是									
			总铅			<0.07	0.1	mg/L	是									

24	东莞市	东莞市长安明辉五金电镀厂	电镀水污染物排放标准	镍预处理排放口	2017/1/5	总镍	0.04	0.5	mg/L	是			
						总汞	<0.00004	0.005	mg/L	是			
						总镉	<0.005	0.01	mg/L	是			
						总铬	<0.03	0.5	mg/L	是			
						六价铬	<0.004	0.1	mg/L	是			
						总铅	<0.07	0.1	mg/L	是			
				银预处理排放口	2017/1/5	总镍	0.03	0.5	mg/L	是			
						总汞	<0.00004	0.005	mg/L	是			
						总镉	<0.005	0.01	mg/L	是			
						总铬	<0.03	0.5	mg/L	是			
						六价铬	<0.004	0.1	mg/L	是			
						总铅	<0.07	0.1	mg/L	是			
				排放口	2017/1/5	总镍	<0.02	0.5	mg/L	是			
						总汞	<0.00004	0.005	mg/L	是			
						总镉	<0.005	0.01	mg/L	是			
						总铬	<0.03	0.5	mg/L	是			
						六价铬	<0.004	0.1	mg/L	是			
						总砷	<0.0003		mg/L				
						总铅	<0.07	0.1	mg/L	是			
						总镍	0.02	0.5	mg/L	是			
						总铜	<0.01	0.5	mg/L	是			
						总锌	<0.004	1	mg/L	是			
						2016/12/9	总汞	<0.00004	0.005	mg/L	是		
							总镉	<0.001	0.01	mg/L	是		
总铬	<0.03	0.5	mg/L	是									
六价铬	<0.004	0.1	mg/L	是									
总铅	<0.01	0.1	mg/L	是									
总镍	<0.05	0.5	mg/L	是									
2016/12/14	总汞	<0.00004	0.005	mg/L	是								
	总镉	<0.001	0.01	mg/L	是								
	总铬	0.78	0.5	mg/L	否	0.6							
	六价铬	<0.004	0.1	mg/L	是								
	总铅	0.17	0.1	mg/L	否	0.7							
2016/12/23	总镍	14.6	0.5	mg/L	否	28							
	总汞	<0.00004	0.005	mg/L	是								
	总镉	<0.001	0.01	mg/L	是								
	总铬	<0.03	0.5	mg/L	是								
	六价铬	<0.004	0.1	mg/L	是								
	总铅	<0.01	0.1	mg/L	是								
2016/12/24	总镍	<0.05	0.5	mg/L	是								
	总汞	<0.00004	0.005	mg/L	是								
	总镉	<0.001	0.01	mg/L	是								
	总铬	<0.03	0.5	mg/L	是								
	六价铬	<0.004	0.1	mg/L	是								
2016/12/25	总铅	<0.01	0.1	mg/L	是								
	总镍	<0.05	0.5	mg/L	是								
	总汞	<0.00004	0.005	mg/L	是								
	总镉	<0.001	0.01	mg/L	是								
	总铬	<0.03	0.5	mg/L	是								
	六价铬	<0.004	0.1	mg/L	是								
	总铅	<0.01	0.1	mg/L	是								
	总镍	<0.05	0.5	mg/L	是								
	总汞	<0.00004	0.005	mg/L	是								
	总镉	<0.001	0.01	mg/L	是								

铬预处理
排放口

2016/12/26	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/27	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
2016/12/28	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
2016/12/29	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
2017/1/5	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
2017/1/12	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
2017/1/17	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
2017/2/23	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
2016/12/9	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		

镍预处理
排放口电镀水污
染物排放
标准

2016/12/14	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/23	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
2016/12/24	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
2016/12/25	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
2016/12/26	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
2016/12/27	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
2016/12/28	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/29	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.01	0.1	mg/L	是		
2017/1/5	总镍	<0.05	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		

2017/1/12	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
	总镍	<0.02	0.5	mg/L	是		
2017/1/17	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总铅	<0.07	0.1	mg/L	是		
2017/2/23	总镍	<0.02	0.5	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
2016/12/9	总镍	4.26	0.5	mg/L	否	7.5	
	总铜	21.8	1	mg/L	否	21	
	总锌	0.08	2	mg/L	是		
	总汞	0.00045	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	0.13	0.5	mg/L	是		
	六价铬	0.036	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
2016/12/14	总铅	<0.01	0.1	mg/L	是		
	总汞	0.00036	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	0.06	0.5	mg/L	是		
	六价铬	0.041	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	0.46	0.5	mg/L	是		
2016/12/23	总铜	0.24	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	0.00064		mg/L			
	总铅	<0.01	0.1	mg/L	是		
2016/12/24	总镍	0.12	0.5	mg/L	是		
	总铜	0.13	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	<0.05	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.05	0.5	mg/L	是		
	总镉	<0.05	0.5	mg/L	是		
	总铜	<0.05	1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		

排放口

2016/12/25	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
2016/12/26	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
2016/12/27	总铜	<0.05	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
2016/12/28	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	0.1	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
	总镉	<0.001	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
2016/12/29	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.01	0.1	mg/L	是		
	总镍	<0.05	0.5	mg/L	是		
	总铜	0.11	1	mg/L	是		
	总锌	<0.02	2	mg/L	是		
	总汞	<0.00004	0.005	mg/L	是		
2017/1/5	总镉	<0.005	0.01	mg/L	是		
	总铬	<0.03	0.5	mg/L	是		
	六价铬	<0.004	0.1	mg/L	是		
	总砷	<0.0003		mg/L			
	总铅	<0.07	0.1	mg/L	是		
	总镍	0.12	0.5	mg/L	是		
	总铜	0.09	1	mg/L	是		
	总锌	0.061	2	mg/L	是		
	总镍	0.06	0.5	mg/L	是		
	总铜	<0.01	1	mg/L	是		

26	东莞市	东莞市上和电镀有限公司 (原东莞东霖五金电镀有限公司)	电镀水污染物排放标准	铬预处理排放口	2017/1/12	总锌	<0.004	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
					2017/1/17	总铅	<0.07	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.07	0.1	mg/L	是		
					2017/2/23	总镍	<0.02	0.5	mg/L	是		
	总铜	0.02	1	mg/L		是						
	总锌	0.079	2	mg/L		是						
	总汞	<0.00004	0.005	mg/L		是						
	总镉	<0.005	0.01	mg/L		是						
	总铬	<0.03	0.5	mg/L		是						
	六价铬	<0.004	0.1	mg/L		是						
	总砷	<0.0003		mg/L								
	2016/12/9	总铅	<0.07	0.1	mg/L	是						
		总镍	0.07	0.5	mg/L	是						
		总铜	0.36	1	mg/L	是						
		总锌	0.087	2	mg/L	是						
		总汞	0.0002	0.005	mg/L	是						
总镉		<0.001	0.01	mg/L	是							
2017/1/5	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.01	0.1	mg/L	是							
	总镍	<0.05	0.5	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.005	0.01	mg/L	是							
2016/12/9	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.01	0.1	mg/L	是							
	总镍	<0.05	0.5	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.005	0.01	mg/L	是							
2017/1/5	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.07	0.1	mg/L	是							
	总镍	<0.02	0.5	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.001	0.01	mg/L	是							
2016/12/9	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总砷	<0.0003		mg/L								

			排放口			总铅	<0.01	0.1	mg/L	是		
						总镍	<0.05	0.5	mg/L	是		
						总铜	<0.05	1	mg/L	是		
						总锌	<0.02	2	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
						总铜	<0.01	1	mg/L	是		
						总锌	0.008	2	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.07	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总铅	<0.07	0.1	mg/L	是								
总镍	<0.02	0.5	mg/L	是								
总镍	<0.02	0.5	mg/L	是								
总铜	<0.01	0.5	mg/L	是								
总锌	0.087	1	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	<0.0003		mg/L									
总铅	<0.07	0.1	mg/L	是								
总镍	0.03	0.5	mg/L	是								
总铜	<0.01	0.5	mg/L	是								
总锌	0.261	1	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	<0.0003		mg/L									
总铅	<0.07	0.1	mg/L	是								
总汞	<0.00004	0.005	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总铬	<0.03	0.5	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总铅	<0.07	0.1	mg/L	是								
总镍	<0.02	0.5	mg/L	是								
29	东莞 辖镇	东莞长安锦厦文华钟表配件厂	废水零排放									
30	东莞 辖镇	东莞臻鸿五金塑胶有限公司	其他原因停产									

31	东莞 辖镇	日立蓄 电池 (东 莞)有 限公司	永久性关停
32	东莞 辖镇	东莞博 邦金属 制品有 限公司	已拆除电镀设备无电镀工序

注：L表示检验数值低于方法最低检出限，以所使用的方法检出限值报出。