

## 东莞市2017年第三季度八月份国控企业污染源（重金属废水）监督性监测结果

序号	行政区	企业名称	监测点名称	执行标准名称	监测日期	监测项目名称	污染物浓度	标准限值	单位	是否达标	超标倍数	备注
1	东莞市	东莞市利通皮革制品有限公司(原东莞市利锋皮革制品有限公司)	铬预处理排放口	广东省地方标准《水污染物排放限值》	2017/8/17	总汞	0.000043	0.05	mg/L	是		
			总镉			<0.005	0.1	mg/L	是			
			总铬			0.1	1.5	mg/L	是			
			六价铬			<0.004	0.5	mg/L	是			
			总铅			<0.07	1	mg/L	是			
			总镍			<0.02	1	mg/L	是			
			总银			<0.02	0.5	mg/L	是			
			总银			<0.02	0.5	mg/L	是			
			总铝			0.28		mg/L				
			总砷			<0.0003	0.5	mg/L	是			
			总铅			<0.07	1	mg/L	是			
			总镍			<0.02	1	mg/L	是			
			六价铬			<0.004	0.5	mg/L	是			
			总铜			<0.006	0.5	mg/L	是			
			总锌			0.07	2	mg/L	是			
			总铁			0.36		mg/L				
			总汞			<0.00004	0.05	mg/L	是			
			总镉			<0.005	0.1	mg/L	是			
			总铬			<0.03	1.5	mg/L	是			
			pH值			7.07	6-9	无量纲	是			
			氨氮			0.229	10	mg/L	是			
			氟化物			0.69	10	mg/L	是			
			化学需氧量			56	90	mg/L	是			
			石油类			<0.04	5	mg/L	是			
			悬浮物			12	60	mg/L	是			
			总氮			0.72	-	mg/L				
总磷	0.12	0.5	mg/L	是								
总铝	0.28	-	mg/L									
总氰化物	<0.001	0.05	mg/L	是								
总铁	0.36	-	mg/L									
2	东莞市	东莞嘉丰机电设备有限公司	铬预处理排放口	电镀水污染物排放标准	2017/8/2	六价铬	0.012	0.1	mg/L	是		
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.005	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			总铅			<0.07	0.1	mg/L	是			
			总镍			<0.02	0.5	mg/L	是			
			总银			<0.02	0.1	mg/L	是			
			总砷			<0.0003		mg/L				
			总铅			<0.07	0.1	mg/L	是			
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.005	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总镍			<0.02	0.5	mg/L	是			
			总铜			<0.006	0.5	mg/L	是			
总锌	0.119	1	mg/L	是								
总铁	<0.02	2	mg/L	是								



4	东莞市	东莞济安塑胶五金制品有限公司	镀镍废水预处理排口	电镀水污染物排放标准	2017/7/31	总镉	<0.001	0.01	mg/L	是		
			总排放口			总铬	<0.03	0.5	mg/L	是		
5	东莞市	东莞市豪丰环保投资有限公司	含铬废水预处理排放口	电镀水污染物排放标准	2017/7/6	六价铬	<0.004	0.1	mg/L	是		
			含镍废水预处理排放口			总铅	<0.01	0.1	mg/L	是		
			总排放口			总镍	<0.05	0.5	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.01	0.1	mg/L	是		
						总镍	<0.05	0.5	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						总铜	<0.006	0.5	mg/L	是		
						总锌	<0.004	1.0	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总铅	<0.07	0.1	mg/L	是		
						总镍	<0.02	0.5	mg/L	是		
						总镉	<0.005	0.01	mg/L	是		
						氨氮	0.11	15	mg/L	是		
						化学需氧量	12	80	mg/L	是		
						总氰化物	<0.001	0.2	mg/L	是		
			总银			<0.03	0.1	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			pH值			7.52	6~9	无量纲	是			
			六价铬			<0.004	0.1	mg/L	是			



7	东莞市	东莞市齐美五金塑胶制造有限公司	预处理排放口	电镀水污染物排放标准	2017/7/11	总铅	<0.01	0.1	mg/L	是		
			混排废水预处理排放口			总镍	0.14	0.5	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
			总排放口			总汞	<0.00004	0.005	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总铅	<0.01	0.1	mg/L	是		
						总镍	0.22	0.5	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	0.01	0.01	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
						氟化物	0.11	10	mg/L	是		
						总铜	<0.05	0.5	mg/L	是		
						总锌	<0.02	1	mg/L	是		
						石油类	0.04	2	mg/L	是		
						悬浮物	<4	30	mg/L	是		
						总氮	2.58	20	mg/L	是		
			总磷			0.06	1	mg/L	是			
			化学需氧量			15	80	mg/L	是			
			总铁			<0.03	2	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
			总氰化物			<0.001	0.2	mg/L	是			
			pH值			7.8	6~9	无量纲	是			
			总铝			<0.07	2	mg/L	是			
			氨氮			0.033	15	mg/L	是			
			含银废水预处理排放口			总汞	<0.00004	0.005	mg/L	是		
总镉	<0.001	0.01		mg/L	是							
总铬	<0.03	0.5		mg/L	是							
六价铬	<0.004	0.1		mg/L	是							
总铅	<0.01	0.1		mg/L	是							
总镍	<0.05	0.5		mg/L	是							
总银	<0.03	0.1		mg/L	是							
氨氮	0.17	15		mg/L	是							
总汞	<0.00004	0.005		mg/L	是							
六价铬	<0.004	0.1		mg/L	是							
总砷	<0.0003			mg/L								
石油类	<0.04	2		mg/L	是							
悬浮类	<4	30		mg/L	是							
总氮	3.12	20		mg/L	是							
总磷	0.04	1		mg/L	是							
化学需氧量	13	80		mg/L	是							
总银	<0.03	0.1		mg/L	是							
总氰化物	0.001	0.2		mg/L	是							
总铜	<0.006	0.5		mg/L	是							
pH值	7.4	6~9		无量纲	是							
总铅	<0.07	0.1	mg/L	是								
总镉	<0.005	0.01	mg/L	是								
总排口	总汞	<0.00004	0.005	mg/L	是							
	总镉	<0.001	0.01	mg/L	是							
	总铬	<0.03	0.5	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总铅	<0.01	0.1	mg/L	是							
	总镍	<0.05	0.5	mg/L	是							
	总银	<0.03	0.1	mg/L	是							
	氨氮	0.17	15	mg/L	是							
	总汞	<0.00004	0.005	mg/L	是							
	六价铬	<0.004	0.1	mg/L	是							
	总砷	<0.0003		mg/L								
	石油类	<0.04	2	mg/L	是							
	悬浮类	<4	30	mg/L	是							
	总氮	3.12	20	mg/L	是							
	总磷	0.04	1	mg/L	是							
	化学需氧量	13	80	mg/L	是							
	总银	<0.03	0.1	mg/L	是							
	总氰化物	0.001	0.2	mg/L	是							
	总铜	<0.006	0.5	mg/L	是							
	pH值	7.4	6~9	无量纲	是							
总铅	<0.07	0.1	mg/L	是								
总镉	<0.005	0.01	mg/L	是								





11	东莞 辖镇	东莞市亨 锋五金制 品有限公 司	排放口	电镀水污 染物排放 标准	2017/8/10	总镍	<0.05	0.5	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总铝	<0.07	2	mg/L	是		
						氨氮	0.084	15	mg/L	是		
						总氮	18.1	20	mg/L	是		
						总氰化物	<0.001	0.2	mg/L	是		
						氟化物	1.92	10	mg/L	是		
						石油类	<0.04	2	mg/L	是		
						总镍	<0.05	0.5	mg/L	是		
						总铜	0.15	0.5	mg/L	是		
						悬浮物	<4	30	mg/L	是		
						总锌	<0.02	1	mg/L	是		
						总铁	<0.03	2	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
PH值	7.93	6-9	无量纲	是								
总磷	0.26	1	mg/L	是								
化学需氧量	13	80	mg/L	是								
12	东莞 辖镇	东莞永晋 灯饰有限 公司	第二预处理 站含铬 废水预处 理排放口	电镀水污 染物排放 标准	2017/8/10	总汞	<0.00004	0.005	mg/L	是		
			总镉			<0.001	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.01	0.1	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.001	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.01	0.1	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.001	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			六价铬			<0.004	0.1	mg/L	是			
			总铅			<0.01	0.1	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
总银	<0.03	0.1	mg/L	是								
总铝	<0.07	2	mg/L	是								
氨氮	0.084	15	mg/L	是								
总氮	18.1	20	mg/L	是								
总氰化物	<0.001	0.2	mg/L	是								
氟化物	1.92	10	mg/L	是								
石油类	<0.04	2	mg/L	是								
总镍	<0.05	0.5	mg/L	是								
总铜	0.15	0.5	mg/L	是								
悬浮物	<4	30	mg/L	是								
总锌	<0.02	1	mg/L	是								



			排放口			总铁	<0.03	2	mg/L	是		
						总银	<0.03	0.1	mg/L	是		
						总汞	<0.00004	0.005	mg/L	是		
						总镉	<0.001	0.01	mg/L	是		
						总铬	<0.03	0.5	mg/L	是		
						六价铬	<0.004	0.1	mg/L	是		
						总砷	<0.0003		mg/L			
						总铅	<0.01	0.1	mg/L	是		
						PH值	7.93	6-9	无量纲	是		
						总磷	0.26	1	mg/L	是		
						化学需氧量	13	80	mg/L	是		
13	东莞 辖镇	富加宜连接器（东莞）有限公司	含镍废水 预处理排 放口	电镀水污 染物排放 标准	2017/7/11	总汞	<0.00004	0.01	mg/L	是		
			总镉			<0.001	0.05	mg/L	是			
			总铬			<0.03	1.0	mg/L	是			
			六价铬			<0.004	0.2	mg/L	是			
			总铅			<0.01	0.2	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
			总银			<0.03	0.3	mg/L	是			
			总汞			0.000057	0.01	mg/L	是			
			总镉			<0.001	0.05	mg/L	是			
			总铬			<0.03	1.0	mg/L	是			
			六价铬			<0.004	0.2	mg/L	是			
			总铅			<0.01	0.2	mg/L	是			
			总镍			<0.05	0.5	mg/L	是			
			总银			<0.03	0.3	mg/L	是			
			总铅			<0.01	0.1	mg/L	是			
			总镍			<0.05	0.1	mg/L	是			
			总铜			<0.05	0.3	mg/L	是			
			总锌			<0.02	1	mg/L	是			
			总汞			<0.00004	0.005	mg/L	是			
			总镉			<0.001	0.01	mg/L	是			
			总铬			<0.03	0.5	mg/L	是			
			氨氮			0.060	8	mg/L	是			
			氟化物			0.50	10	mg/L	是			
			石油类			<0.04	2.0	mg/L	是			
			悬浮物			<4	30	mg/L	是			
			总氮			7.52	15	mg/L	是			
			总磷			0.16	0.5	mg/L	是			
			化学需氧量			19	50	mg/L	是			
			总铁			0.06	2.0	mg/L	是			
			总银			<0.03	0.1	mg/L	是			
总氰化物	0.002	0.2	mg/L	是								
pH 值	7.34	6~9	无量纲	是								
总铝	1.77	2.0	mg/L	是								
六价铬	<0.004	0.1	mg/L	是								
总砷	<0.0003		mg/L									

注：<表示检验数值低于方法最低检出限，以所使用的方法检出限值报出。